

Restrict updates Only allow users with bypass permission to update matching refs.
Restrict deletions Only allow users with bypass permissions to delete matching refs.
Require linear history  Prevent merge commits from being pushed to matching branches.
Require deployments to succeed before merging Choose which environments must be successfully deployed to before branches can be merged into a branch that matches this rule.
Require signed commits  Commits pushed to matching branches must have verified signatures.
Require a pull request before merging  Require all commits be made to a non-target branch and submitted via a pull request before they can be merged.
Additional settings ^
Required approvals  10   The number of approving reviews that are required before a pull request can be merged.
Dismiss stale pull request approvals when new commits are pushed  New, reviewable commits pushed will dismiss previous pull request review approvals.
Require review from Code Owners  Require an approving review in pull requests that modify files that have a designated code owner.
Require approval of the most recent reviewable push Whether the most recent reviewable push must be approved by someone other than the person who pushed it.
Require conversation resolution before merging  All conversations on code must be resolved before a pull request can be merged.

Choc into a be po	uire status checks to pass before merging use which status checks must pass before branches can be merged a branch that matches this rule. When enabled, commits must first ushed to another branch, then merged or pushed directly to a ch that matches this rule after status checks have passed.	
Block force pushes Prevent users with push access from force pushing to branches.		
Revert	Save	